Stowe Cemetery Commission Meeting Tuesday, August 19, 2025

A meeting of the Stowe Cemetery Commission will be held Tuesday, August 19, 2025 at 9:00 am via a hybrid/Zoom meeting.

Join meeting: https://stowevt.zoom.us/j/84053306883

Dial by your location +1 646 876 9923 US (New York)

Meeting ID: 840 5330 6883

9:00 am Superintendent's Report

Minutes, correspondence, work orders

Treasurer's report

Discuss plans for beautification project

Any new or old business brought before the Commission

P.O. BOX 730, STOWE, VT 05672

Phone (802) 253-6133

Email: cemetery@stowevt.gov

Fax (802)253-6137

	WORK ORDER PERMIT				
V	Origina	nal Burial Rights (DEED) Holder (PRINT)	Doris Klein		
	Čemet	tery Name River bank Section	28 Eat No. 45-80		
	Commission approved Corner Markers are required for all lots or groups of lots prior to the placement any memorials and must be ordered and installed by the Town of Stowe.				
	Corner	r Markers are in place YES or NO	Corner Markers are needed? YES or		
		REQUEST FOR INSCRIPTION: Date/na hours. Any other request must be approved the space below.	ame can be approved by staff during regular business by the Cemetery Commission. Include information in		
		REQUEST FOR CLEANING:			
		Composition of the memorial	Cleaning methos/agents		

Maximum Size of Memorials, Stowe Cemeteries with lot size 4' x 12'

	Max Width	Max Face	Max Height
	60 % of Lot	20 % of Lot	Including Base
		Including Base]
l Lot	2.4 ft.	9.6 sq. ft	4 ft.
2 Lots	4.8 ft.	19.2 sq. ft	4 ft.
3 Lots	7.2 ft.	28.8 sq. ft.	4 ft.
4 Lots	9.6 ft.	38.4 sq. ft.	4 ft.

Revised November 2023

REQUEST TO INSTALL: Refer to Memorial and Foundation Specifications pages of the Stowe Cemeteries Rules and Regulations, May 2022 for allowed sizes and locations. FOUNDATION: Foundations can be installed only by a contactor with a valid foundation contract with the Town of Stowe. If the installer is other than the undersigned dealer, a separate work order/permit is required for the foundation. MEMORIAL or FLUSH MARKER: Flush markers are installed by the Town of Stowe after delivery to the Superintendent of Cemeteries. Include a sketch with the following: 1) Dimensions 2) Front and back views 3) Material and Finish (please note – colorized designs are not permitted) 4) Location on lot or group of lots in the space below or attach separately. Work Order Permit Application must be received 14 days prior to monthly meetings of the Commission. Late or incomplete submission will be tabled. I have read and will abide by the Rules and Regulations of Stowe Cemeteries, dated May 202 Memorial Dealer signature Memorial Dealer (print name) Mailing address


Email Address

All work must be scheduled with the Superintendent of Cemeteries by phone, text or email and a copy of this form must be in the possession of the contactor or subcontractor doing the work. Phone (802) 730-6144 or ddanforth@stowevt.gov.

I hereby authorized the above Memorial Dealer / Foundation Contractor, to execute the above work in

BURIAL RIGHTS HOLDER/MEMORIAL PURCHASER AUTHORIZATION

	accordance with the Rules and Regulations of Stowe Cemeteries. No information is complete and approved.	work will	be done until all
Contract of the Contract of th	Holder/Purchaser Signature Down Klein	Date	Jun 4 2025
	Holder/Purchaser (print name) Docis Klein	Phone	7 77-279-0708
	Mailing Address 54 Goldbrook Circle Stowe	VT.	05672
		_Fax	
BETTER	Holder/Purchaser relationship to original Rights Holder:		·
	FOR OFFICE USE ONLY:		
	Conditions:	 	
	Authorized Signature:	Date	



-36.0000-SHELDON AUG. 6, 1932 AUG. 20, 2023 32.0000 DORIS FEINMAN Barre Gray Granite FEB. 18, 1935 -42.0000-

P.O. BOX 730, STOWE, VT 05672

Phone (802) 253-6133

Email: cemetery@stowevt.gov

Fax (802)253-6137

WORK ORDER PERMIT

Origin	al Burial Rights (DEED) Holder (Pl	RINT) - Fuelo & Vauline Walker	
Cemet	ery Name Rous Bowl	Section 12 A 50 Lot No. Walker Charl	6
	ission approved Corner Markers are emorials and must be ordered and in	e required for all lots or groups of lots prior to the placement of stalled by the Town of Stowe.	f
Corner	Markers are in place? YES or NO	Corner Markers are needed? YES or NO	
		N: Date/name can be approved by staff during regular busines approved by the Cemetery Commission. Include information is	
	REQUEST FOR CLEANING:		
	Composition of the memorial	Cleaning methos/agents	_

Maximum Size of Memorials, Stowe Cemeteries with lot size 4' x 12'

	Max Width 60 % of Lot	Max Face 20 % of Lot	Max Height Including Base
	00 70 01 200	Including Base	merading base
l Lot	2.4 ft.	9.6 sq. ft	4 ft.
2 Lots	4.8 ft.	19.2 sq. ft	4 ft.
3 Lots	7.2 ft.	28.8 sq. ft.	4 ft.
4 Lots	9.6 ft.	38.4 sq. ft.	4 ft.

All work must be scheduled with the Superintendent of Cemeteries by phone, text or email and a copy of this form must be in the possession of the contactor or subcontractor doing the work. Phone (802) 730-6144 or ddanforth@stowevt.gov.

I hereby authorized the above Memorial Dealer / Foundation Contractor, to execute the above work in

BURIAL RIGHTS HOLDER/MEMORIAL PURCHASER AUTHORIZATION

	accordance with the Rules and Regulations of Stowe Cemeteries. No work will be done until all
	information is complete and approved.
*	Holder/Purchaser Signature Soft SEEN Phone ADZ 7300300
X	Holder/Purchaser (print name) John REEN Phone Apr 7300300
人	Mailing Address 19/ W MSSBDW 4. JOHUSON VT 0567
*	Email Address TRPEN @ 901.00 Fax
X	Holder/Purchaser relationship to original Rights Holder:
	FOR OFFICE USE ONLY:
	Conditions:
	Authorized Signature: Date

REQUEST TO INSTALL: Refer to Memorial and Foundation Specifications pages of the Stowe Cemeteries Rules and Regulations, May 2022 for allowed sizes and locations. FOUNDATION: Foundations can be installed only by a contactor with a valid foundation contract with the Town of Stowe. If the installer is other than the undersigned dealer, a separate work order/permit is required for the foundation. MEMORIAL or FLUSH MARKER: Flush markers are installed by the Town of Stowe after delivery to the Superintendent of Cemeteries. Include a sketch with the following: 1) Dimensions 2) Front and back views 3) Material and Finish (please note – colorized designs are not permitted) 4) Location on lot or group of lots in the space below or attach separately. Work Order Permit Application must be received 14 days prior to monthly meetings of the Commission. Late or incomplete submission will be tabled. I have read and will abide by the Rules and Regulations of Stowe Cemeteries, dated May 2022. Memorial Dealer signature Memorial Dealer (print name) Mailing address _____ Email Address Fax

Revised November 2023

REEN

Photographer

Barb Destromp

04/23/2016

P.O. BOX 730, STOWE, VT 05672

Phone (802) 253-6133

Email: cemetery@stowevt.gov

Fax (802)253-6137

WORK ORDER PERMIT

Orig	inal Burial Rights (DE	ED) Holder (PRINT)	ELIZABETH	DURO	vic.H
Céme	tery Name <i>RiVer B</i>	Section	1	Lot No	
Name	of individual on work	order:	VicH		
		er Markers are require ordered and installed l		_	r to the placement of
Come	Markers are in place?	YES or NO	Corner Marke	rs are needed	? YES or NO
		NSCRIPTION: Date/i quest must be approve			
\boxtimes	REQUEST FOR C	LEANING:			
	Composition of the n	nemorial	Cleaning metho	os/agents	
	Maximum	Size of Memorials, S	towe Cemeteries wit	h lot size 4' x	12'
		3.4 3.42 3.1.	16 B	<u> </u>	36 77 13.

	Max Width 60 % of Lot	Max Face 20 % of Lot Including Base	Max Height Including Base
1 Lot	2.4 ft.	9.6 sq. ft	4 ft.
2 Lots	4.8 ft.	19.2 sq. ft	4 ft.
3 Lots	7.2 ft.	28.8 sq. ft.	4 ft.
4 Lots	9.6 ft.	38.4 sq. ft.	4 ft.

* REQUEST TO INSTALL: Refer to Memorial and Foundation Specifications pages of the Stowe Cemeteries Rules and Regulations, May 2022 for allowed sizes and locations.

Revised December 2024

	FOUNDATION : Foundations can be installed only by a contactor with a valid foundation contract with the Town of Stowe. If the installer is other than the undersigned dealer, a separate work order/permit is required for the foundation.
	MEMORIAL Communicate with Superintendent the day(s) planned to install the memorial. Phone (802) 730-6144 or ddanforth@stowevt.gov.
	FLUSH MARKER: Flush markers are only installed by the Town of Stowe after \$100 is paid and the flush marker is delivered to the Superintendent of Cemeteries. Make checks payable to: Town of Stowe
Includ	le a sketch with the following:
	 Dimensions Front and back views Material and Finish (please note – colorized designs are not permitted) Location on lot or group of lots in the space below or attach separately.
	Order Permit Applications must be received 14 days prior to monthly meetings of the nission. Late or incomplete submission will be tabled.
I have	read and will abide by the Rules and Regulations of Stowe Cemeteries, dated May 2022.
Memo	rial Dealer signature Buck Goli Date 08-11-25
Memo	rial Dealer (print name) BRUCE L. Godin Phone 08 -/1-25
Mailin	g address
Email	AddressFax
сору	ork must be scheduled with the Superintendent of Cemeteries by phone, text or email and a of this form must be in the possession of the contactor or subcontractor doing the work. (802) 730-6144 or ddanforth@stowevt.gov.

Revised December 2024

BURIAL RIGHTS HOLDER/MEMORIAL PURCHASER AUTHORIZATION

I hereby authorized the above Memorial Dealer / Foundation Contractor, to execute the above work in

accordance with the Rules and Regulations of Stowe Cemeteries. No work will be done until all information is complete and approved. Holder/Purchaser Signature Elizabeth Durorich Date 8-4-2025 Holder/Purchaser (print name) ELizaBETH TUROVICH Phone 802-253-4729 Mailing Address 1737 PUCKER ST. STOWE, VT 05672 Email Address 12D 1737@ Webtv. net Fax_______ Holder/Purchaser relationship to original Rights Holder: ____ SAME **FOR OFFICE USE ONLY:** Conditions: Authorized Signature: ______ Date ______ Work order sent to Superintendent: \$100:_______(Flush Marker) Installed:____ Delivered:____

P.O. BOX 730, STOWE, VT 05672

Phone (802) 253-6133

Email: cemetery@stowevt.gov

Fax (802)253-6137

WORK ORDER PERMIT

Origin	al Burial Rights (DEED) Holder (PRINT) erome Meyer
Cemet	ery Name RIVER bank Section 2.3 2000 Lot No. 20121
	dission approved Corner Markers are required for all lots or groups of lots prior to the placement of emorials and must be ordered and installed by the Town of Stowe.
Corner	Markers are in place? VES or NO Corner Markers are needed? YES or NO
	REQUEST FOR INSCRIPTION: Date/name can be approved by staff during regular business hours. Any other request must be approved by the Cemetery Commission. Include information in the space below.
V	REQUEST FOR CLEANING: Composition of the memorial Cleaning methos/agents Wash

Maximum Size of Memorials, Stowe Cemeteries with lot size 4' x 12'

	Max Width 60 % of Lot	Max Face 20 % of Lot Including Base	Max Height Including Base
1 Lot	2.4 ft.	9.6 sq. ft	4 ft.
2 Lots	4.8 ft.	19.2 sq. ft	4 ft.
3 Lots	7.2 ft.	28.8 sq. ft.	4 ft.
4 Lots	9.6 ft.	38.4 sq. ft.	4 ft.

REQUEST TO INSTALL: Refer to Memorial and Foundation Specifications pages of the Stowe Cemeteries Rules and Regulations, May 2022 for allowed sizes and locations. **FOUNDATION**: Foundations can be installed only by a contactor with a valid foundation contract with the Town of Stowe. If the installer is other than the undersigned dealer, a separate work order/permit is required for the foundation. MEMORIAL or FLUSH MARKER: Flush markers are installed by the Town of Stowe after delivery to the Superintendent of Cemeteries. Include a sketch with the following: 1) Dimensions 2) Front and back views 3) Material and Finish (please note – colorized designs are not permitted) 4) Location on lot or group of lots in the space below or attach separately. Work Order Permit Application must be received 14 days prior to monthly meetings of the Commission. Late or incomplete submission will be tabled. I have read and will abide by the Rules and Regulations of Stowe Cemeteries, dated May 2022. Memorial Dealer signature Memorial Dealer (print name) Mailing address Email Address Fax

All work must be scheduled with the Superintendent of Cemeteries by phone, text or email and a copy of this form must be in the possession of the contactor or subcontractor doing the work. Phone (802) 730-6144 or ddanforth@stowevt.gov.

BURIAL RIGHTS HOLDER/MEMORIAL PURCHASER AUTHORIZATION

I hereby authorized the above Memorial Dealer / Foundation Contractor, to execute the above work in accordance with the Rules and Regulations of Stowe Cemeteries. No work will be done until all information is complete and approved. Holder/Purchaser Signature _____ Date ____

Holder/Purchaser (print name)	Phone	
Mailing Address		
Email Address		
Holder/Purchaser relationship to original Rights Holder:		
FOR OFFICE USE ONLY:		
Conditions:		
Authorized Signature:	Date	

P.O. BOX 730, STOWE, VT 05672

Phone (802) 253-6133

Email: cemetery@stowevt.gov

Fax (802)253-6137

WORK ORDER PERMIT

Original Burial Rights (DEED) Holder (PRINT) <u>Jerome Meyer</u>
Cemetery Name Riverbank Section 23 Lot No. 20/2/
Commission approved Corner Markers are required for all lots or groups of lots prior to the placement of any memorials and must be ordered and installed by the Town of Stowe.
Corner Markers are in place? YES or NO Corner Markers are needed? YES or NO
REQUEST FOR INSCRIPTION: Date/name can be approved by staff during regular business hours. Any other request must be approved by the Cemetery Commission. Include information in the space below.
REQUEST FOR CLEANING: Composition of the memorial Cleaning methos/agents Pressure Washed Spage

Maximum Size of Memorials, Stowe Cemeteries with lot size 4' x 12'

	Max Width 60 % of Lot	Max Face 20 % of Lot Including Base	Max Height Including Base
1 Lot	2.4 ft.	9.6 sq. ft	4 ft.
2 Lots	4.8 ft.	19.2 sq. ft	4 ft.
3 Lots	7.2 ft.	28.8 sq. ft.	4 ft.
4 Lots	9.6 ft.	38.4 sq. ft.	4 ft.

ConTRACTOR: Bruke Godin Bun Ligari 167 Moscow Rd Stowe, V+ 05672 802 253 8690

Revised November 2023