



Development Application
Town of Stowe Planning & Zoning Department
PO Box 730
Stowe, VT 05672
Telephone: (802) 253-6141

Project #
(To be assigned)

Date Received:

This form serves as an application for all requested zoning and subdivision reviews.

Property Owner Information

Property Owner	TOWN OF STOWE	
Mailing Street Address City, State and Zip	PO Box 730 STOWE, VT	
Telephone Number	696-8435	Email cjdly@stowevt.gov

Applicant Information (Relationship to Owner)

- ☒ Owner (If so, skip to property information) ☐ Lessee ☐ Contractor
☐ Architect/Designer ☐ Agent for Owner ☐ Under purchase contract
All information and correspondence is sent to applicant/contact.

Applicant Name Company (if any)		
Mailing Street Address City, State and Zip		
Phone Number		Email
Property Information & Location		
Physical Address	67 MAIN ST - AKELEY MEM. BLDG	
Tax Map ID	7A-039.000	
Existing Use	MUNICIPAL OFFICE	Proposed Use SAME

Please briefly describe the proposed project, intended use, and/or development request below:

HVAC REPLACEMENT, INCLUDING INSTALLING
ROOF-TOP HVAC UNIT ON LAND RECORDS VAULT
AND ORNAMENTAL SCREENING. DRAWINGS PROVIDED

For All Approvals:

The below signed hereby agrees that the proposed work shall be done in accordance with the application, plan, specifications, and other associated documentation and that the work shall conform to all applicable town ordinances and regulations. Signing as an "Agent for Owner" indicates that the person signing has the permission of the owner to act on the owner's behalf. Additional permits may be needed from the State of Vermont and/or the Town of Stowe for development.

Indicate if: ☒ Property Owner OR ☒ Agent for Owner	Signature: <u>Charmelly</u> ASST. DIR. PUBLIC WORKS Date: <u>2/12/25</u>
--	---

Additional application information is required on reverse side: ➔

Note: Local Zoning approval does not cover any required state approvals. Wastewater System and Potable Water Supply permits may be required for construction or modifications that change the wastewater flow. Other State permits may be required for certain uses. The applicant is advised to contact a DEC Permit Specialist to discuss the State permit requirements at 802-505-5367.

Construction Information

A site plan showing the proposed development is required if construction is involved.

The applicant is responsible for determining property lines and setbacks.

Please answer the questions below for all projects:

Will there be a new curb cut (driveway opening)?	Yes ☐ No ☒
Will over ½ acre of land be graded or disturbed?	Yes ☐ No ☒
Will the development create an additional ½ acre of impervious surface?	Yes ☐ No ☒
Will there be other changes resulting in increased sewer or water flows?	Yes ☐ No ☒
Will there be a new connection to the Stowe sewer system?	Yes ☐ No ☒
Will there be a new connection to the Stowe water system?	Yes ☐ No ☒
Is any portion of the building rented out?	Yes ☐ No ☒
Is an Act 250 permit or amendment required?	Yes ☐ No ☒

Maximum Bldg. Height: N/A * Building Height is defined as the vertical distance measured from the average elevation of the proposed finished grade at the front or rear of the building to the highest point of the roof for flat and mansard roofs, and to the average height between eaves and ridge for other types of roofs. On sloping sites the height will be measured on the uphill side.

Please answer the questions below for all projects involving residential dwellings:

Existing Rooms:	# Bathrooms:	# Bedrooms:	# Kitchens:
New Rooms:	# Bathrooms:	# Bedrooms:	# Kitchens:

Please complete the fee calculation below for all applications:

Zoning Permit Fees - Single & Two-Family Dwellings (Permitted Uses)	Fee/Sq. Ft.	Fee Required
Enclosed building spaces per sq. ft (heated & unheated)	\$0.30	
Unenclosed building spaces per sq. ft (i.e., decks, open porches, etc.)	\$0.10	
Structures other than buildings (i.e., ponds, tennis courts, fences, etc.) - per structure	\$60.00	
Minimum application fee for Single & Two-Family Dwellings/Permitted Uses	\$60.00	
Fee:		\$
Zoning Permit Fees - Conditional Uses (Commercial & Multi-Family Uses)	Fee/Sq. Ft.	Fee Required
Enclosed building spaces per sq. ft (heated & unheated)	\$0.40	
Unenclosed building spaces per sq. ft (i.e., decks, open porches, etc.)	\$0.25	
Structures other than buildings (i.e., ponds, tennis courts, fences, etc.) - per structure	\$100	
Administrative amendment by Zoning Administrator	\$75.00	
Fee:		\$
Development Review & Public Hearing Fees	Fee/Sq. Ft.	Fee Required
Appeal of Action of Zoning Administrator	\$250.00	
Variance or Dimensional Waiver	\$250.00	
Conditional Use Review	\$250.00	
Ridgeline & Hillside Overlay District (RHOD) Review	\$250.00	
Design Review (Single-Family & Two-Family Dwelling)	\$60.00	
Design Review (All other uses except Single-Family & Two-Family Dwelling)	\$250.00	
Subdivision Review (includes PRD's & PUD's)		
Preliminary Layout Application (base fee)	\$250.00	
Preliminary Layout (fee per unit or lot if equal to and/or more than 5 lots/units)	\$275.00	
Final Plat Application (base fee)	\$250.00	
Final Plat Application (additional fee per unit or lot if preliminary layout was not required)	\$150.00	
Minimal Alteration reviewed by Zoning Administrator	\$100.00	
Other subdivision applications/amendments requiring DRB approval	\$250.00	
Fee:		\$
Signs	\$70.00	
Fee:		\$
Recording Fees /Stowe Land Records (set by state law)		

Additional Recording Fee for decision notice	\$15.00/page	\$
Additional Recording Fee for permit	\$15.00/page	\$
Additional Recording Fee for Mylar	\$25.00/sheet	\$
Total Application Fee Including Recording		\$

Payments should be made to the Town of Stowe. Payment can be made by cash, check, or with a credit card (Mastercard, Visa or Discover) or online. Go to www.townofstowevt.org/townclerk/ and [click the link for online payments](#). Please note there is a 3% convenience fee for credit card payments.

Incomplete applications will be returned. A complete application must include a site plan, elevation drawings, and floorplans. See application checklists for additional guidance.

<u>OFFICE USE ONLY</u>							
Date Received _____	<table border="1"> <tr> <td>Permit Fee</td> <td>\$</td> </tr> <tr> <td>Recording Fee</td> <td>\$</td> </tr> <tr> <td>TOTAL FEE</td> <td>\$</td> </tr> </table>	Permit Fee	\$	Recording Fee	\$	TOTAL FEE	\$
Permit Fee	\$						
Recording Fee	\$						
TOTAL FEE	\$						
Zoning District _____							
Overlay District _____							
Approved Date _____	☐ Check # _____ ☐ Cash _____						
Effective Date _____							
Expiration Date _____							
Denied Date _____	Referred _____						
Reason _____	Hearing Date _____						
Comments/Conditions							
_____ Zoning Administrator	_____ Date						
For assistance, please contact the Planning & Zoning Department of 253-6141 or by email at PandZ@stowevt.gov							

The Town of Stowe welcomes all persons, regardless of race, color, religion, national origin, sex, gender identity or expression, family status, age, or ability, and wants everyone to feel safe and welcome in our community. As a town, we formally condemn discrimination in all its forms, commit to fair and equal treatment of everyone in our community, and will strive to ensure all of our actions, policies, and operating procedures reflect this commitment. The Town of Stowe has and will continue to be a place where individuals can live freely and express their opinion.

OWNER

Owner

Public Works; Town of Stowe, VT

Akeley Memorial Building

67 Main Streetp; PO Box 730

Stowe, VT 05672

ARCHITECT

Tom Bursey Designs, Pllc.

50 Lakeside Avenue

Burlington, VT 05401

(802) 777-4261

MECHANICAL & PLUMBING ENGINEER

TRU ENGINEERING PLC
PO BOX 684
WASHINGTON, VT 05675
P (802) 316-9120
Mechanical & Plumbing Systems
Design & Consulting

AKELEY MEMORIAL BUILDING

ROOFTOP MECHANICAL SCREENING PROJECT

STOWE, VT

ISSUE FOR BID

FEB. 12, 2025



TOM BURSEY DESIGNS, PLLC

50 Lakeside Avenue - H7 · Burlington VT 05401
· 802-777-4261 ·
· Architecture ·

PERSPECTIVE




GENERAL NOTES

- ALL WORK TO BE DONE IN ACCORDANCE WITH STATE AND LOCAL CODES AND ORDINANCES.
- ALL WORK PERFORMED TO BE OF ACCEPTED INDUSTRY STANDARDS AND PRACTICES GOVERNING THE HIGHEST DEFINED QUALITY OF WORKMANSHIP. CONTRACTOR TO COORDINATE KEYING REQUIREMENTS WITH THE OWNER AND THOSE SCHEDULED WITHIN THESE DOCUMENTS.
- FIRE PROTECTION DEVICES, FIRE ALARM DEVICES, EXIT SIGNS AND EMERGENCY LIGHTING ARE TO BE LOCATED AS DIRECTED AND REQUIRED BY CODE AND / OR AUTHORITIES HAVING JURISDICTION.
- ALL EXTERIOR WOOD BLOCKING AND ALL WOOD IN CONTACT WITH CONCRETESLABS AND / OR MASONRY TO BE PRESSURE TREATED.
- CONTRACTOR TO VERIFY LAYOUT AND DIMENSIONS PRIOR TO THE START OF CONSTRUCTION AND TO CONSULT WITH THE ARCHITECT REGARDING ANY DISCREPANCIES THAT EXIST WITHIN THESE CONSTRUCTION DOCUMENTS.
- CONTRACTOR TO COORDINATE WITH THE OWNER FOR ANY ITEMS TO BE PROVIDED BY THE OWNER AND INSTALLED BY THE CONTRACTOR.
- CONTRACTOR IS RESPONSIBLE FOR PERMITS, FEES, ETC. ASSOCIATED WITH THE EXECUTION AND COMPLETION OF THE WORK AS DEFINED IN THE CONTRACT.
- PROVIDE FIRE TREATED WOOD BLOCKING IN PARTITIONS AS REQUIRED FOR MOUNTING OF CABINETS, SHELVING, GRAB BARS, TACK BOARDS, ETC.
- ALL WOOD FRAMING/ BLOCKING AND UNIT MASONRY SIZES ARE NOMINAL, UNO.
- ALL EXPOSED INTERIOR STEEL TO BE PAINTED, EXPOSED EXTERIOR STEEL TO BE GALVANIZED, UNO.
- ALL INTERIOR PLAN DIMENSIONS ARE FROM FINISHED FACE OF WALLS, UNO.
- WHERE WALLS OR PARTITIONS ON EITHER SIDE OF A DOOR ARE SHOWN AS SOUND, SMOKE, OR FIRE RATED,THE WALL OR PARTITION OVER THE DOOR SHALL BE RATED TO THE HIGHEST RATING OF THE ADJACENT WALLS AND PARTITIONS, UNLESS OTHERWISE NOTED.
- THE DRAWINGS AND SPECIFICATIONS ARE COMPLEMENTARY TO EACH OTHER AS DEFINED IN THE A201 GENERAL CONDITIONS. BRING CONFLICTING INFORMATION TO THE ATTENTION OF THE ARCHITECT. THE CONTRACTOR IS RESPONSIBLE FOR ALL CONFLICTING REQUIREMENTS NOT BROUGHT TO THE ATTENTION OF THE ARCHITECT AND THE ARCHITECT WILL RENDER A DECISION ON HOW TO RESOLVE THE CONFLICT AT A LATER DATE. THE CONTRACTOR IS RESPONSIBLE FOR THE HIGHER COST OF THE CONFLICTING REQUIREMENTS UNLESS CLARIFIED IN WRITING WITHIN OR PRIOR TO SUBMITTING THE BID OR PROPOSAL.

MATERIALS LEGEND

	METAL STUD FRAMING
	CONCRETE
	MASONRY - BRICK
	MASONRY - CMU
	BATT INSULATION
	RIGID FOAM INSULATION
	RIGID MINERAL FIBER INSULATION
	SPRAY FOAM INSULATION
	EARTH
	GYPSUM BOARD
	STEEL
	ALUMINUM
	CRUSHED STONE
	PLYWOOD

SYMBOL LEGEND



ABBREVIATIONS

ACT	ACOUSTICAL CEILING TILE	MATL	MATERIAL
ADA	AMERICANS WITH DISABILITIES ACT	MAX	MAXIMUM
		MECH	MECHANICAL
AFF	ABOVE FINISH FLOOR	MFR	MANUFACTURER
ALUM	ALUMINUM	MIN	MINIMUM / MINUTE
APPROX	APPROXIMATELY	MISC	MISCELLANEOUS
A/V	AIR/ VAPOR (when followed by "BARRIER") or AUDIO/ VIDEO	MO	MASONRY OPENING
		MTD	MOUNTED
		MTL	METAL
BD	BOARD		
BLDG	BUILDING	NIC	NOT IN CONTRACT
		NTS	NOT TO SCALE
CG	CORNER GUARD		
CJ	CONTROL JOINT	OC	ON CENTER
CL	CENTER LINE	OFF	OFFICE
CLG	CEILING	OH	OPPOSITE HAND OR OVERHEAD
CLR	CLEAR		
CMU	CONCRETE MASONRY UNIT	OPP	OPPOSITE
COL	COLUMN	OFOI	OWNER FURNISHED
CONC	CONCRETE		OWNER INSTALLED
CONT	CONTINUOUS	OFCI	OWNER FURNISHED
CORR	CORRIDOR		CONTRACTOR INSTALLED
CPT	CARPET	OPNG	OPENING
CT	CERAMIC TILE		
CFCI	CONTRACTOR FURNISHED	PL	PLATE
	CONTRACTOR INSTALLED	PLAM/P-LAM	PLASTIC LAMINATE
CFOI	CONTRACTOR FURNISHED	PLYWD	PLYWOOD
	OWNER INSTALLED	PREFAB	PREFABRICATED
		PT	PRESSURE TREATED
		PTD	PAINTED
DF	DRINKING FOUNTAIN		
DIA	DIAMETER		
DIM	DIMENSION	QT	QUARRY TILE
DN	DOWN		
DTL	DETAIL	RCP	REFLECTED CEILING PLAN
DWG	DRAWING	REF	REFERENCE/ REFRIGERATOR
		REQD	REQUIRED
		RESIL	RESILIENT
		REV	REVISION
		RM	ROOM
		RO	ROUGH OPENING
EJ	EXPANSION JOINT	SCHED	SCHEDULE
EL/ ELEV	ELEVATION	SECT	SECTION
ELEC	ELECTRIC	SHT	SHEET
EMER	EMERGENCY	SIM	SIMILAR
ENGR	ENGINEER	SPEC	SPECIFICATION
EQ	EQUAL	STD	STANDARD
EQUIP	EQUIPMENT	STL	STEEL
EWC	ELECTRIC WATER COOLER	SS, ST. STL	STAINLESS STEEL
EX/ EXIST	EXISTING	STOR	STORAGE
EXT	EXTERIOR	STRUCT	STRUCTURAL
ETR	EXISTING TO REMAIN		
FD	FLOOR DRAIN	TEL	TELEPHONE
FEC	FIRE EXTINGUISHER CABINET	TOC	TOP OF CONCRETE
FG	FIBERGLASS	TOS	TOP OF STEEL
FIN FLR	FINISH FLOOR	TOW	TOP OF WALL
FIN	FINISH	TYP	TYPICAL
FLR	FLOOR	UNO	UNLESS NOTED OTHERWISE
FRM	FIRE RESISTIVE MATERIAL	UC	UNDER CONTROL
FT	FOOT OR FEET		
		VB	VINYL BASE
GALV	GALVANIZED	VCT	VINYL COMPOSITION TILE
GWB	GYPSUM WALL BOARD	VERT	VERTICAL
GYP	GYPSUM	VEST	VESTIBULE
HC	HANDICAP		
HDW	HARDWARE	W/	WITH
HM	HOLLOW METAL	WC	WATER CLOSET
HORIZ	HORIZONTAL	WD	WOOD
HR	HANDRAIL	W/O	WITHOUT
HT	HEIGHT		
INSUL	INSULATION		
INT	INTERIOR		
IN	INCHES		
JAN	JANITOR		
JC	JANITOR CLOSET		
LAV	LAVATORY		

SCHEDULE OF DRAWINGS

ARCHITECTURAL	
G200	CODE SHEET
A100	EXISTING FLOOR PLANS
A103	ROOF PLAN
A200	EXTERIOR ELEVATIONS
A203	3-D ELEVATIONS
A310	WALL SECTIONS

ISSUE LOG

2/12/2025 10:52 AM



APPLICABLE CODES

LIST NOT INCLUSIVE OF ALL
RELEVANT, APPLICABLE OR
REFERENCED CODES

State Codes

- Vermont Fire and Building Safety Code2015 edition
- Vermont Electrical Safety Rules2020 edition
- Vermont Plumbing Rules2021 edition
- Vermont Elevator Safety Rules2014 edition
- Vermont Access Rules (ADA)2012 edition
- Vermont Commercial Building Energy Standards2024 edition
- VOSHA - Safety & Health Standard

Model Codes Adopted by Inclusion or Reference

- NFPA 1 Uniform Fire Code2015 edition
- NFPA 101 Life Safety Code2015 edition
- International Building Code (IBC)2015 edition
- NFPA 70 National Electrical Code2020 edition
- ICC International Plumbing Code2021 edition
- The National Board Inspection Code, National Board of Boiler & Pressure Vessel Inspectors2015 edition

Federal Guidance

- 2010 ADA Standards for Accessible Design2010 edition

CODE PLAN LEGEND

BUILDING FRONTAGE:

ACCESSIBLE PERIMETER

RATED CONSTRUCTION:

WALL/PARTITION

SMOKE PARTITION


SMOKE BARRIER

1/2 HOUR RATING

2 HOUR RATING

3 HOUR RATING

CEILING/ FLOOR
ASSEMBLY ABOVE



OTHER:

CODE RELATED DISTANCE OR PATH OF TRAVEL

FE OR FEC FIRE EXTINGUISHER (CABINET) LOCATION

AP FIRE ALARM ANNUNCIATOR PANEL

FDC FIRE DEPARTMENT CONNECTION

SP STAND PIPE

EXIT SIGN LOCATION

SPACE, EGRESS CAPACITY AND NUMBER OF
OCCUPANTS

EXIT, EXIT CAPACITY AND NUMBER USING
EGRESS COMPONENT

CODE SUMMARY

BUILDING *(IS/IS NOT)* FULLY PROTECTED WITH AN NFPA-13 SPRINKLER SYSTEM

CONSTRUCTION TYPE: (NFPA 101) (IBC)

"ORDINARY CONSTRUCTION" (III-000) (IIIB)
Type III construction: the exterior walls are of noncombustible materials and the interior building elements are of any material allowed by code

USE GROUP: (NFPA 101) (IBC)

BUILDING IS TREATED AS (SINGLE) USE; (UNSEPARATED)

USE GROUP 1 - Business
USE GROUP 2 - Assembly

BUILDING HEIGHT PROPOSED CODE MAX. ZONING MAX.

BUILDING HEIGHT IS TO REMIAN UNCHANGED

BUILDING AREA PROPOSED CODE MAX.

BUILDING AREA IS TO REMIAN UNCHANGED

OCCUPANCY REMAINS UNCHANGED

FIRE RESISTANCE RATINGS (IN HOURS)


EXTERIOR BEARING WALLS: 2
EXTERIOR NONBEARING WALLS UP TO 30' SEPARATION: 1
EXTERIOR NONBEARING WALLS GREATER THAN 30' SEPARATION: 0
INTERIOR BEARING WALLS SUPPORTING MORE THAN ONE FLOOR, COLUMNS, OR OTHER BEARING WALLS: 0
INTERIOR BEARING WALLS SUPPORTING A ROOF ONLY: 0
INTERIOR CORRIDOR WALLS: 1*
OTHER INTERIOR NONBEARING WALLS: 0
COLUMNS SUPPORTING MORE THAN ONE FLOOR, COLUMNS, OR OTHER BEARING WALLS: 0
COLUMNS SUPPORTING A ROOF ONLY: 0
BEAMS, GIRDERS, TRUSSES, AND ARCHES SUPPORTING MORE THAN ONE FLOOR, COLUMNS, OR OTHER BEARING WALLS: 0
BEAMS, GIRDERS, TRUSSES, AND ARCHES SUPPORTING A ROOF ONLY: 0
FLOOR CONSTRUCTION: 0
ROOF CONSTRUCTION: 0
ELEVATORS, STAIRS AND SHAFTS UP TO 3 STORIES: 1
ELEVATORS, STAIRS AND SHAFTS 4 OR MORE STORIES: 2
FIRE SEPARATIONS (OCCUPANCY X TO OCCUPANCY Y): 2*

ADDITIONAL NOTES

DESIGN IS TO MEET REQUIREMENTS OF VERMONT COMMERCIAL BUILDING ENERGY STANDARDS (2024).

(PROJECT SPECIFIC REQUIREMENTS)

Project consists of:
Mechanical Upgrade
Including the addition of an Roof Top Unit (RTU) located on the Vault roof (Non-historic addition) this



117 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

Stowe Akeley Project

STOWE, VT

TBD PROJECT NO:

TBD 2422

ORIGINATION DATE:

12/14/2024

SCALE:

As indicated

DRAWN BY:

TB

CHECKED BY:

TB

ISSUE LOG:

IFB-D

IFB

FEB. 5 2025


SHEET CONTENTS:

CODE SHEET


SHEET NO:

G200


© 2024 Tom Bunsley Designs, PLLC




1 Exist Site Plan
A100 SCALE: 1/16" = 1'-0"



2 Exist LEVEL G
A100 SCALE: 1/16" = 1'-0"



3 Exist LEVEL 1
A100 SCALE: 1/16" = 1'-0"



4 Exist LEVEL 2
A100 SCALE: 1/16" = 1'-0"


FLOOR PLAN GENERAL NOTES

- ALSO SEE SYMBOL LEGEND ON COVER SHEET.
- DIMENSIONS:** ALL EXTERIOR DIMENSIONS ARE TO NOMINAL CORNER OF MASONRY UNLESS NOTED OTHERWISE.
 - PLANS ARE TO BE VIEWED IN CONJUNCTION WITH CIVIL, LANDSCAPE, STRUCTURAL, MEP/FP AND ALL OTHER TRADES, AS APPROPRIATE. DISCREPANCIES ARE TO BE BROUGHT TO THE ARCHITECT'S ATTENTION FOR RESOLUTION BEFORE COMMENCING WORK.
 - ALL NON-ARCHITECTURAL INFORMATION SHOWN HERE IS FOR REFERENCE ONLY.
 - ALL VERTICAL AND HORIZONTAL PENETRATIONS THROUGH RATED ASSEMBLIES ARE TO BE SEALED WITH UL-LISTED FIRESAFING AND/OR SEALANT ASSEMBLIES TO MAINTAIN RATING.
 - SCOPE:** PROJECT INCLUDES ALL WORK TO RETURN THE SURFACES AFFECTED BY THE WORK BACK TO A CONDITION THAT MATCHES SURROUNDING SURFACES IN FINISH, COLOR, QUALITY AND APPEARANCE. THIS MAY INCLUDE REPLACING MATERIAL WITH LIKE MATERIAL.
 - ON THE INTERIOR THIS INCLUDES: CARPENTRY, DRYWALL OR PLASTER REPAIR / PATCHING, CAULKING AND PAINTING.
 - ON THE EXTERIOR THIS INCLUDES TOUCH UP PAINTING, EXTERIOR CAULKING, AND WATERTIGHT ROOF PENETRATION REPAIR.
 - IN ADDITION THE EXTERIOR WORK MAY ALSO INCLUDE REPLACING PORTIONS OF HISTORIC EXTERIOR WOOD TRIM, AND MINOR FLASHING AND BRICK REPAIR.

FLOOR PLAN LEGEND

ALSO SEE WALL TYPES SHEET A004

- EXISTING WALL/ COLUMN TO REMAIN
- NEW METAL STUD / GYPSUM WALLBOARD WALL
- NEW MASONRY WALL
- NEW STEEL/ CONCRETE COLUMN - SEE STRUCTURAL



H7 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

Stowe Akeley Project

STOWE, VT

TBD PROJECT NO:
TBD 2422

ORIGINATION DATE: **06/10/21** SCALE: **As indicated**

DRAWN BY: **Author** CHECKED BY: **Checker**

ISSUE LOG:
IFB-D
IFB FEB. 5 2025

SHEET CONTENTS:
EXISTING FLOOR PLANS

SHEET NO:
A100




FLOOR PLAN GENERAL NOTES

- ALSO SEE SYMBOL LEGEND ON COVER SHEET.
- DIMENSIONS:** ALL EXTERIOR DIMENSIONS ARE TO NOMINAL CORNER OF MASONRY UNLESS NOTED OTHERWISE.
 - PLANS ARE TO BE VIEWED IN CONJUNCTION WITH CIVIL, LANDSCAPE, STRUCTURAL, MEP/P AND ALL OTHER TRADES, AS APPROPRIATE. DISCREPANCIES ARE TO BE BROUGHT TO THE ARCHITECT'S ATTENTION FOR RESOLUTION BEFORE COMMENCING WORK.
 - ALL NON-ARCHITECTURAL INFORMATION SHOWN HERE IS FOR REFERENCE ONLY.
 - ALL VERTICAL AND HORIZONTAL PENETRATIONS THROUGH RATED ASSEMBLIES ARE TO BE SEALED WITH UL-LISTED FIRESAFING AND/OR SEALANT ASSEMBLIES TO MAINTAIN RATING.
 - SCOPE:** PROJECT INCLUDES ALL WORK TO RETURN THE SURFACES AFFECTED BY THE WORK BACK TO A CONDITION THAT MATCHES SURROUNDING SURFACES IN FINISH, COLOR, QUALITY AND APPEARANCE. THIS MAY INCLUDE REPLACING MATERIAL WITH LIKE MATERIAL.
 - ON THE INTERIOR THIS INCLUDES: CARPENTRY, DRYWALL OR PLASTER REPAIR / PATCHING, CAULKING AND PAINTING.
 - ON THE EXTERIOR THIS INCLUDES TOUCH UP PAINTING, EXTERIOR CAULKING, AND WATERTIGHT ROOF PENETRATION REPAIR.
 - IN ADDITION THE EXTERIOR WORK MAY ALSO INCLUDE REPLACING PORTIONS OF HISTORIC EXTERIOR WOOD TRIM, AND MINOR FLASHING AND BRICK REPAIR.

FLOOR PLAN LEGEND

- ALSO SEE WALL TYPES SHEET A004
- EXISTING WALL/ COLUMN TO REMAIN
 - NEW METAL STUD / GYPSUM WALLBOARD WALL
 - NEW MASONRY WALL
 - NEW STEEL/ CONCRETE COLUMN - SEE STRUCTURAL



TBD

H7 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

Stowe Akeley Project

STOWE, VT

TBD PROJECT NO:
TBD 2422

ORIGINATION DATE: 11/22/24 SCALE: As indicated

DRAWN BY: Author CHECKED BY: Checker

ISSUE LOG:
IFB-D
IFB FEB. 5 2025


SHEET CONTENTS:

ROOF PLAN


SHEET NO:

A103


© 2024 Tom Bursley Designs, PLLC




1 ROOF
A103 SCALE: 1/16" = 1'-0"




4 RTU SUPPORT PLAN
A103 SCALE: 1/2" = 1'-0"



5 ROOF - SQUARE BASE DETAIL
A103 SCALE: 1 1/2" = 1'-0"





2 SNOW SHIELD FRAMING LEVEL
A103 SCALE: 1/2" = 1'-0"



3 DUNNAGE FRAMING PLAN
A103 SCALE: 1/2" = 1'-0"

2/12/2025 8:55:25 AM



LICENSED ARCHITECT
THOMAS BURSLEY
NO. 59375
STATE OF VERMONT

TBD

H7 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

STOWE Akeley Project

TBD PROJECT NO:
TBD 2422

ORIGINATION DATE: 06/10/21
SCALE: As indicated


DRAWN BY: Author
CHECKED BY: Checker

ISSUE LOG:
IFB-D
IFB
FEB. 5 2025


SHEET CONTENTS:
EXTERIOR ELEVATIONS

SHEET NO:
A200


© 2024 Tom Bursley Designs, PLLC




1 Arch 3D View 1
A203 SCALE:




2 Arch 3D View 2
A203 SCALE:



3 Arch 3D View 3
A203 SCALE:



4 Arch 3D View 4
A203 SCALE:



H7 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

Stowe Akeley Project

STOWE, VT

TBD PROJECT NO:
TBD 2422

ORIGIN DATE: 12/14/24 SCALE:

DRAWN BY: Author CHECKED BY: Checker

ISSUE LOG:
IFB-D
IFB FEB. 5 2025


SHEET CONTENTS:

3-D ELEVATIONS

SHEET NO:

A203

© 2024 Tom Bursley Designs, PLLC



H7 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

Stowe Akeley Project

STOWE, VT

TBD PROJECT NO:
TBD 2422

ORIGIN DATE: 06/10/21 SCALE: 1" = 1'-0"

DRAWN BY: Author CHECKED BY: Checker

ISSUE LOG:
IFB-D
IFB FEB. 5 2025


SHEET CONTENTS:

WALL SECTIONS


SHEET NO:

A310

© 2024 Tom Bursky Designs, PLLC



2 Section 4 - Callout 1
A310 SCALE: 1" = 1'-0"



H7 - 50 Lakeside Avenue • Burlington VT 05401
802-777-4261
• Architecture •

Stowe Akeley Project

STOWE, VT

TBD PROJECT NO:
TBD 2422

ORIGINATION DATE: 11/22/24 SCALE: As indicated

DRAWN BY: Author CHECKED BY: Checker

ISSUE LOG:
IFB-D
IFB FEB. 5 2025

SHEET CONTENTS:


WALL SECTIONS

SHEET NO:


A391

© 2024 Tom Bursky Designs, PLLC


On Inside (storage sied) of door: Egg Crate Grille 90% Free Area. Bars are 24-gauge Type 304 stainless steel in a 1/2" x 1/2" x 1/2" grid core
Eggcrate Framed Louver / return register (~ 5690 CFM total)
Outside of Door: Custom Frame
<https://www.ayrty.com/wp-content/uploads/2020/11/ISSEC-Performance-Data.pdf>



3 EXISTING INTERIOR DOOR ELEVATION
A391 SCALE:



2 Section 3
A391 SCALE: 3/4" = 1'-0"



1 Section 7
A391 SCALE: 1/2" = 1'-0"

2/15/2025, 8:52:37 AM